



String Manipulation

Based on CBSE Curriculum

Class -11

Chapter-5

By-

Neha Tyagi

PGT CS

KV 5 Jaipur II Shift

Jaipur Region

Introduction

- As we know that a sequence of characters enclosed in single quotes, double quotes or triple quotes (' ', " ", """) is called a string.
- In python, strings are immutable meaning they can't be changed.
- In a String, each character remains at a unique position number or index number which goes from 0 to n-1 (n is the total number of characters in the string).
- In this chapter, we will see techniques of string manipulation.

String Creation

- String can be created in following ways-

- By assigning value directly to the variable

```
>>> str="I love my india"
```

String Literal

```
>>> str
```

```
'I love my india'
```

- By taking Input

```
>>> str1=input("Enter a string")
```

```
Enter a stringThis is python
```

```
>>> str1
```

```
'This is python'
```

Input () always return input in string form.

Traversal of a string

- Process to access each and every character of a string for the purpose of display or for some other purpose is called string traversal.

```
name="superb"
for ch in name:
    print(ch, "-", end="")
```

Output

s -u -p -e -r -b -

Program to print a String after reverse -

```
str=input("Enter a String")
print("The string ", str, " in reverse order is: ")
length=len(str)
for a in range(-1, (-length-1), -1):
    print(str[a], end="")
```

Output

```
Enter a Stringsanjeev
The string  sanjeev  in reverse order is:
veejnas
```

String Operators

- There are 2 operators that can be used to work upon strings + and *.

» + (it is used to join two strings)

- Like - "tea" + "pot" will result into "teapot"
- Like- "1" + "2" will result into "12"
- Like – "123" + "abc" will result into "123abc"

» * (it is used to replicate the string)

- like - 5*"@" will result into "@@@"
- Like - "go!" * 3 will result "go!go!go!"

note : - "5" * "6" expression is invalid.

Membership Operators in Strings

- 2 membership operators works with strings are in and not in. To understand the working of these operators, look at the given examples -
- in operator results into True or False. Like-
 - “a” in “Sanjeev” will result into True.
 - “ap” in “Sanjeev” will result into False.
 - “anj” in “Sanjeev” will result into True.
- not in operator also results into True or False. Like-
 - “k” not in “Sanjeev” will result into True.
 - “ap” not in “Sanjeev” will result into True.
 - “anj” not in “Sanjeev” will result into False.

String Comparison Operators

- Look carefully at following examples -
 - `"a" == "a"` True
 - `"abc"=="abc"` True
 - `"a"!="abc"` True
 - `"A"=="a"` False
 - `"abc"=="Abc"` False
 - `'a'<'A'` False (because Unicode value of lower case is higher than upper case)

How to get Ordinal/Unicode Values?

- Look at following examples-

```
>>>ord('A')
```

```
65
```

```
>>>ord('a')
```

```
97
```

```
>>>char(97)
```

```
a
```

```
>>>char(65)
```

```
A
```

String Slicing

- Look at following examples carefully-

Index	0	1	2	3	4	5	6	7	8	9	10	11	12	13
Word	R	E	S	P	O	N	S	I	B	I	L	I	T	Y
Reverse index	-14	-13	-12	-11	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1

word = "RESPONSIBILITY"

word[0 : 14] will result into 'RESPONSIBILITY'

word[0 : 3] will result into 'RES'

word[2 : 5] will result into 'SPO'

word[-7 : -3] will result into 'IBIL'

word[: 14] will result into 'RESPONSIBILITY'

word[: 5] will result into 'RESPO'

word[3 :] will result into 'PONSIBILITY'

String Functions

[String.capitalize\(\)](#)

Converts first character to Capital Letter

[String.find\(\)](#)

Returns the Lowest Index of Substring

[String.index\(\)](#)

Returns Index of Substring

[String.isalnum\(\)](#)

Checks Alphanumeric Character

[String.isalpha\(\)](#)

Checks if All Characters are Alphabets

[String.isdigit\(\)](#)

Checks Digit Characters

[String.islower\(\)](#)

Checks if all Alphabets in a String are Lowercase

[String.isupper\(\)](#)

returns if all characters are uppercase characters

[String.join\(\)](#)

Returns a Concatenated String

[String.lower\(\)](#)

returns lowercased string

[String.upper\(\)](#)

returns uppercased string

[len\(\)](#)

Returns Length of an Object

[ord\(\)](#)

returns Unicode code point for Unicode character

[reversed\(\)](#)

returns reversed iterator of a sequence

[slice\(\)](#)

creates a slice object specified by range()

Assignment

1. WAP to print the following pattern

1. INDIA	2. I
INDI	IN
IND	IND
IN	INDI
I	INDIA

2. WAP to search a substring from a given line of string.

3. WAP to find the length of a string.

Thank you

Please follow us on our blog

www.pythontrends.wordpress.com